

FABPRO POLYMERS FIBERS

*Reinforcement
for any job.*

1
LEVEL



2
LEVEL



3
LEVEL



Steel Fibers and other non-polyolefin products are available. Please contact your Fabpro Polymers Fibers representative for more information.

Fabpro™

POLYMERS

Fabpro™


POLYMERS

World's Largest Developer and Manufacturer of Synthetic Fibers for Reinforced Polymers Concrete

Fabpro is a technology driven developer and manufacturer of engineered products, proudly manufacturing in the USA, and servicing the Construction Industry with market leading synthetic fiber reinforcement since 1986. Fabpro Polymers offers a complete family of concrete reinforcing fibers, each specifically designed and engineered to provide all Levels of Reinforcement to improve the life and performance of concrete.

Whether you require crack prevention, post-cure performance or both, Fabpro Polymers has the right products and technical expertise to meet your concrete reinforcement needs.

The Reinforcement Is Built-In!



MADE IN THE
★ ★ ★
USA

FabproPolymers.com
800.821.4391

FABPRO POLYMERS FIBERS LEVELS OF REINFORCEMENT

1
LEVEL

MONOFILAMENT MICROFIBERS

Plastic Shrinkage Crack Control

SPECTER
MONOFILAMENT FIBER

SPECTER™


Standard Dosing Rate	1.0 lbs/yd ³
Standard Fiber Lengths	0.25", 0.50", 0.75"
Standard Packaging	1.0 lb Bags, 24 Bags/Box, 36 Boxes/Pallet

SPECTER™ 3.5

Standard Dosing Rate	0.5 lbs/yd ³
Standard Fiber Lengths	0.50", 0.75"
Standard Packaging	0.5 lb Bags, 50 Bags/Box, 36 Boxes/Pallet

SPECTER™ HP

Standard Dosing Rate	0.5 lbs/yd ³
Standard Fiber Lengths	0.50", 0.75"
Standard Packaging	0.5 lb Bags, 50 Bags/Box, 36 Boxes/Pallet



2
LEVEL

FIBRILLATED MICROFIBERS

Temperature Shrinkage Crack Control


GENESIS
FIBRILLATED FIBER REINFORCEMENT

GENESIS™

Standard Dosing Rate	1.5 lbs/yd ³
Standard Fiber Lengths	0.25", 0.50", 0.75", 1.50"
Standard Packaging	1.5 lb Bags, 16 Bags/Box, 36 Boxes/Pallet

GENESIS™ XF

Standard Dosing Rate	1.5 lbs/yd ³
Standard Fiber Lengths	0.25", 0.50", 0.75", 1.50"
Standard Packaging	1.5 lb Bags, 16 Bags/Box, 36 Boxes/Pallet



3
LEVEL

MACRO FIBERS

- Temperature Shrinkage Crack Control
- Post First Crack Reinforcement
- Improved In-place Cost vs Traditional Steel Reinforcement

PLEXUS
SYNTHETIC MACROFIBER

PERFORMAX
SYNTHETIC MACRO FIBER

PLEXUS™

Standard Dosing Rate	*Min. 3.0 lbs/yd ³
Standard Fiber Lengths	44mm, 54mm
Standard Packaging	5.0 lb Bags, 9 Bags/Box, 18 Boxes/Pallet

PERFORMAX™ / PERFORMAX™ HT

Standard Dosing Rate	*Min. 3.0 lbs/yd ³
Standard Fiber Lengths	1.50"
Standard Packaging	5.0 lb Bags, 5 Bags/Box, 24 Boxes/Pallet

FUSION™ BLEND (PERFORMAX™ & SPECTER™ HP)

Standard Dosing Rate	4.5 lbs/yd ³
Standard Fiber Lengths	1.50"/0.75" Macro/Micro Blend
Standard Packaging	4.5 lb Bags, 6 bags/Box, 24 Boxes/Pallet

